# Mwaghavul plant names

## Roger Blench Mwaghavul Literacy committee

This is a list of plant names in the Mwaghavul language, spoken around Panyam, in Plateau State, Nigeria. It has yet to be fully updated with results from a workshop held in April 2012.

birim	plant, fruit
ɗèm	weeds, grasses not useful to people
jìkɨram	wild weeds
mbwet	tender fruit
mùlùm	algae
shit	generic for grass
tíng	tree, shrub generic

### Grasses and herbs

Mwaghavul	Latin	English	Comments
6el	Cynodon dactylon	Bahama grass,	The dried stem is used to make a particular type
		dogstooth	of flute
		grass,	
1 \ 1 .		couchgrass	
bèng hir		tuber sp.	plant dug from the ground and eaten by children
bèng kóhól		tuber sp.	as <b>beng hir</b>
bishaal 6úú		plant sp.	
buu 6ùùl		plant sp.	Crown within the compound to provide shade
Duul		plant sp.	Grown within the compound to provide shade and protect chicks from kites.
бwaa		grass sp.	used as shaft of an arrow. The stem is eaten like sugar cane
cáá	Phyllanthus amarus	plant sp.	used to improve the sound of a xylophone
cààm		plant sp.	wild plant resembling onion but toxic
caar			
càk car	Eriosema psoraleoides	plant sp.	The leaves are ground and applied to cuts on the skin. Said to be very effective.
cirèm càà	Chamaecrista mimosoides	tea senna	fibre is used in making rope
cukkur			sharp-edged
cwang	Cymbopogon	grass sp.	An extremely tall grass. Used for roofing. The
-	giganteus		flower is used in treating fever.
daw	Commelina	wandering jew,	Used in treating snake-bite
	benghalensis	tropical	
		spiderwort	
dáwúfil	Aneilema beniniense [?]	plant sp.	Used for draw soup.
dem			
dòghòròk		grass sp.	Used in feeding horses
fèèl		plant sp.	
fil fuk	Diodia sarmentosa	plant sp.	eaten by animals
fúúr	Cenchrus biflorus	grass sp. cram-	grass with white flower used for thatching and
		cram, hedgehog	also to treat cuts, like iodine.
		grass, burgrass	
fúúr dii pyaa	Rhynchelytruym	blanketgrass,	Eaten by animals
		1	

Mwaghavul	Latin	English	Comments
	repens	natal redtop	
gáár	<i>Euphorbia</i> spp.	white cactus	
gh <del>i</del> r pyaa		plant sp.	with white thorns
goghor	Hibiscus asper	plant sp.	The flower and seed are edible. Used to make
			ngyam for local candle. Used to make fibre for
			ropes. Is this rama?
gòr		plant sp.	
guu	Euphorbia	cactus	
_	kamerunica		
gwàn		wild cocoyam	cf. ngwàn
gwòm kas <sup>2</sup>		plant sp.	
jaam pil			
jakatai	<b>F</b> 1 1.	plant sp.	also <b>jaghatai</b> (name of place)
jàng lùmwát	Euphorbia	plant sp.	A many-branched herb found by roadsides,
	hyssopifolia		introduced into West Africa. Applied to cuts on
• , ,	01 1 11		the sole of the foot.
jármén	Chrysanthellum	African wild	Plant with yellow flowers between August and
	americanum	daisy	October and seen as an indication that the rains
1-44 - 1 1 1-	C	11	will soon be over
káá doghorok	Cyperus esculentus	yellow	The wild form of the tiger-nut, which is
		nutsedge	cultivated for its edible tubers. Used mainly to
leann lán a		nimenin e nlent	feed animals
kam láng		riverine plant	often used as chewing stick
kargung kàs mbul		plant sp.	used in making holes like millet which small birds eat
	Loonotis nonotifolia	small plant Lion's ear,	like minet which small blids eat
kijighír 1	Leonotis nepetifolia	Lion's ear, lion's tail	
kiji ahír 2	Leucas martinicensis	wild tea bush	
kijighír 2 kikàr	Leucus martinicensis		
	Smilar ancons	raffia plant African	The twine is used to mend calabashes
kìkàr pilim	Smilax anceps	sarsaparilla	The twine is used to mend catabasites
kisóm		plant sp.	Used for settling disputes. The first chicken to
KISUIII		plant sp.	die after drinking the mixture was considered
			guilty
kùng		plant sp.	gunty
kùng lúng		shrub sp.	fruits are used to make soap
kúr gwàm		wild banana	Ensete gillettii
Kui gwain		plant	
kusuk nyer	Digitaria gayana	grass sp.	lit. 'bird's fonio'. The seeds are eaten by birds
Rusuk nyer	Digital la gayana	gruss sp.	and animals.
kuul tum	Solanum torvum	turkeyberry	fruits are used to treat chicken diseases
làà hiir		plant/fruit	
làà wéét		plant sp.	Hausa <i>tsamiyan biri</i>
landor	Vernonia perrottetii	ironweed	used to sweep a large threshing area
lém	Sesamum indicum	plant sp.	A cultivated plant, but also found as an
		rk.	adventive. Its leaves are used to make a draw
			soup.
líjám		plant sp.	Soft plant used to dress wounds after
J		r ~r.	circumcision.
man lèè	Loudetia annua	feathergrass	thatching grass
mbikikak			6.6
mbwaghat			

Mwaghavul plant names Roger Blench Circulation draft

caan

Mwaghavul	Latin	English	Comments
mbwak			
mbwémbwèrè mɓee		plant sp. grass sp.	used in soup. Hausa <i>gwate</i> . Used for tying millet bundles for threshing. This grass is used for three years consecutively. it is usually soaked in water before use. (similar to
mííl	Andropogon gayanus	gamba grass	tar grass) used in roofing and for the construction o xylophones [how?]
mìlòm 6úm	Pistia stratiotes	water lettuce	dried powder used in sorcery remedies
mpet jaghas	Sorghastrum bipennatum	grass sp.	Used to make brooms
mùnaan		bitterleaf (plant)	also <b>mìnaan</b>
mwòòr mmawe		plant sp.	oil from a plant sp. (medicinal)
mwòòr zem		plant sp.	
ná shwoop neer		sensitive plant	<i>Mimosa pudica</i> . Also <b>kurpaa</b> . If the centre is touched, the leaves close up. This song is usually sung to it. Ná shop neer killing ki naa neer y (twice) kurpaa-o-kurpaa oh! ngoroo ki naa neeyiee! and it closes
ndaaji	Striga hermonthica	witchweed	A small purple flower which is a very persistent weed of guinea-corn and other cereals.
ndarkam		creeper sp.	Used in making a very mucilaginous soup, favoured by the Idoma
ndòghòròk		grass sp.	cf. dòghòròk
ndúr	Mariscus longibracteatus and probably other Mariscus spp.	plant name referring two species	(1) monocotyledonous plant found in swampy/marshy areas, (it belongs to the grass family)
ndúr	<i>Tapinanthus</i> and <i>Loranthus spp</i> .	mistletoe	(2) dicotyledonous plant, it grows on othe plants (saprophyte) with time it could grow bigger and eventually kill the main plant examples abound on citrus plants etc. A person could be referred to as <i>ndur</i> if they depend heavily on others. Cf. also <b>kirom</b> .
ndùtúghút		plant sp.	
nfwoon gwóóm		plant sp.	Used in soup
ngimaar njààl	Conyza sumatrensis	fleabane	eaten? (Used in soup)
nkàghàm dyès	Eclipta alba	herb sp.	cooked in soups
nkilis		plant sp.	Used for soup.
nkókóó nkoon tughúr	Alternanthera sessilis	sessile joyweed plant sp.	Used for soup. Used for soup.
nni dèèt nshìshíí	Vernonia ambigua Cyperus difformis	ironweed sedge sp.	tastes bitter the roots are pounded and then used to scrub
	••		clean the goatskins used for carrying children
nyák tìràk nyàkyít	Bidens pilosa	plant sp. cobblers' pegs,	Used for soup. also <b>nyakyit.</b> Sticks to clothes when walking
nyee kúúl 1	Physalis angulata	blackjack wild Cape	through the bush Used for soup.

Mwaghavul	Latin	English	Comments
0		gooseberry	
nyee kúúl 2	Solanum nigrum	black	? leaves and fruits eaten by humans for medic
5	8	nightshade	purposes
nyìm lèè	Solenostemon	plant sp.	the leaf is put in a drink to stop it going bad?
5	monostachyus	1 1	
nyìmùùr	Palisota hirstua	plant sp.	Leaves to treat dislocations in children.
piil	Imperata cylindrica	swordgrass	
pipilet	T	plant sp.	
puk bwagham	Sida acuta	broomweed	A weed of fields, also used to make a draw sou
puk lengdeng	Sida cordifolia	plant sp.	A weed of fields, also used to make a draw sou
pùs kaam	Laportea aestuans	tropical	A small nettle-like plant which irritates the sk
pus nuum	Euporteu uostiunis	nettleweed	on touch. The fibre can be used as twine.
pùs tùp	Mucuna pruriens	cowitch,	A vine which grows in the bush with hairy po
pus tup	macana pranens	stinging bush-	which give an irritating sting when touched.
		vine	when give an inflating sting when touched.
nwag mwaan		plant sp.	
pwas mwaan rààs	Bambusa sp.	bamboo	
sar gààl	Dumbusu sp.	bahama grass	kirikiri Hausa but cf. <b>6el</b>
sè ndighis <sup>1</sup>	Mitracarpus villosus	plant sp.	
sè ndighis <sup>2</sup>	Spermacoce villosa	plant sp.	A weed on crops. Used to treat skin disease. eaten by animals
shit	spermacoce villosa	· ·	catch by annuals
SIIIt		U	
ahit hiring	Cotavia numila	grass	
shit biring	Setaria pumila	cat-tail grass	So hitton aron animala will not oot it
shit dii dèèt	Digitaria horizontalis	crabgrass, digit	So bitter even animals will not eat it.
chit koon	Sporobolus	grass West Indies'	Animals will got it when just sprouting
shit kaap	Sporobolus		Animals will eat it when just sprouting
shit lu	pyramidalis	smutgrass	thatahing grass
sint iu	Hyparrhenia involucrata	roofing grass	thatching grass
chít mnót	Eragrostis tremula	lovograge	Used to make brooms.
shít mpét shit waap	Chloris pilosa	lovegrass	Eaten by animals.
1	Chioris pilosa	fingergrass	Used to make fire by friction
soghor	Luffa culiu dui ca	plant sp.	
SOSO	Luffa cylindrica	loofah	used as a sponge to wash the body and dishes. Hausa
súm cáár		plant sp.	Used for soup. Also the name of the swalle
		II.	(bird)
táá ntíng	Cassythia filiformis		A parasitic plant the grows over other plan
0			notably cashew. It is believed the (medicina
			roots are difficult to find and this can only
			achieved through money. The plant has glutino
			leaves used in cooking soup.
táá sheem		plant	Used to make potash
tar		grass sp.	*
tar bum		grass sp.	
tar kom	Eleusine indica	goosegrass	Used as animal fodder.
tíng tyóón	Dioscorea bulbifera	climbing plant	Similar to yam, but the tubers are not belo
	[?]	sp.	ground but at the leaf axils. This plant was
	[.]	-P.	great significance to the Mwaghavul communi
			as it was used in determining when the rai
			would set in [how?]. They would commen
			clearing their farms. This plant does not gro
			no matter the amount of water poured on it.
			no matter the amount of water poured off It.

		-		~· · ·	1 0
Mwaghavul	nlant names	Roger	Blench	Circulation	draft
111 mugnu fui	plant names	Itoger .	Diction	Chicalation	ulult

Mwaghavul	Latin	English	Comments		
0		0	spring is not approaching it will not sprout. C	Ince	
			spring approaches it sprouts.		
toghos					
túl <sup>1</sup>	Sida garckeana	herb sp.	A herb mostly eaten by animals		
túl <sup>2</sup>	Triumfetta cordifol	<i>ia</i> herb sp.	When the stalk has been peeled it can be use twine to tie up objects.	d as	
tùl	Malvastrum coromandelianum	false mallow	A common weed in the fields. Much appreci by animals.	ated	
tún	Ipomoea vagans	wild swe potato	•		
vyèl kááp	Loudetia arundinacea	grass sp.	thatching grass		
wùgil		plant sp.	(see pumbwan)		
wút zhìì		plant sp.	The leaf of plant used to protect the farm aga evil spirits. It was planted on the edges of farm.		
ya kyit		plant sp.	cf. <b>nya kyit</b> for details		
yén cìlém	Fimbristylis	plant sp.	The plant is pounded with water and used to fever	treat	
yén toghom	Oldenlandia herbacea	plant sp.	A weed of crops. Used in the treatment of few	ver.	
yìgút		plant sp.			
yìm njíí	Ageratum conyzoia		1		
záál		plant sp.	plant sp.		
zem		oil from a pla	nt		
Mushrooms					
	ntás	mushroom gene	ral		
	ntas fuk	mushroom of d	unghill		
	ntas ging	mushroom of d			
	ntas ki6in		nimal sp. very large mushroom		
	ntas mulam	mushroom of s			
	ntas randong ntas tighir	mushroom of ca mushroom of te			
	ntas ting	mushroom of tr			
Trees					
Mwaghavul	Hausa	Latin	English Notes		
bizep	1 ~		tree sp.		
buhol	malmo Syzygi	um guineense	tree sp. mbihol		
bwaghat cáán	an a		tree sp.		
bwák dòng túghún	aya		tiger-nut ?		
dàng túghúp			tree sp.		
dàng tup dàn	dinna Vitar	loniana	tree sp. black plum edible fruits		
dèp dishol	2	ix reclinata	black plum edible fruits fruit of the wild date		
duɗuk kiir	5.5	pentandra	palm, <b>pyeem</b> silk cotton tree		
fèèl	ceibu	penununu	tree sn		

5

*Acacia* spp. generic thorny tree sp. thorny tree sp.

'snake thorn'

tree sp.

? Dicrostachys cinerea

ghip pyááníí ghir ghir gók táá ghir kùng

fèèl

Mwaghavul	Hausa	Latin	English	Notes
ghɨr píyáá	farar kaya	Faidherbia albida	whitethorn	
ghir vùrèm	5		thorny plant sp.	Thorns are used to cu tribal marks and tattoos
ghɨr yàwó			common thorn	found in the farm
gòr	duhuwa ??		tree sp.	
gùng		Ficus platyphylla	fig tree sp.	with strong wood
guu		i ieus piutypitytia	euphorbia, cactus	with strong wood
gwòm kàs			tree sp.	
jamii	tsamiyaa	Tamarindus indica	tamarind tree	Sour fruits can be sucked
, ,	isumiyuu	Tumur maus maica		cf. njamii
jér			tree sp.	
kaashuu			cashew tree	< English
kàm bàl			tree sp.	
kám gúng			tree sp.	
kám kághán			tree sp.	
kárgung			tree sp.	
kibáng			tree sp.	
kiir	riimii	Ceiba pentandra	silk-cotton tree	
kiir kum		r	tree sp.	
kikàr		Raphia sudanensis	raffia palm	
kisóm		Ruphiu suuunensis	tree sp.	
kláng			tree sp.	
koon	baure	Figure quanhalogana	*	
	Daure	Ficus gnaphalocarpa	fig tree	
koon tum	•1		tree sp.	0
kùkùp	goriba	? Hyphaene thebaica	dum palm	?
kùm báng	kaɗanya	Vitellaria paradoxa	shea tree	The oil is extracted from the fruits for cooking
kùng			tree sp.	
kùng tùp	kaɗanya	Vitellaria paradoxa	shea tree	The oil is extracted from the fruits for cooking
làà gh <del>i</del> r	lemun tsuntsu	Carissa edulis	tree sp.	C
làà wéét	tsamiyar biri	Dialium guineense	monkey tamarind	red fruits when ripe
lengleng			tree sp.	
lòghòr		Ficus ingens	fig	
lyóón		Grewia mollis	tree sp.	
mángòr		Mangifera indica	mango	
mawe		Jatropha curcas	physic nut	
mbihol	malmo	Syzygium guineense		buhol
mès	dorowa		tree sp.	Julivi
		Parkia biglobosa	locust beans, plant/fruit	
mmès mmènaan	durumi	Ficus polita	fig tree sp.	
mmànaan			tree sp.	
mwàghàlàk	ciwo	Landolphia owariensis; Saba florida	rubber vine	Fruits eaten
mwén			tree sp.	
mwòòr ɓáng		Elaeis guineensis	oil-palm	
mwòòr kiìr		U U	silk cotton tree	edible
ndùtúghút			tree sp.	
ngàng	giginya	Borassus aethiopum	fan-palm	The fruits are eaten and the leaves are used for roofing. The fruits are
nawara	mucha		move fruit trac	sprouted to make <i>muruci</i>
ngwávà	gweba	True main 1 and 1	guava fruit, tree	< English
njámii	tsamiya	Tamarindus indica	tamarind	
M11 *			MOTOON BOFFIL	
hlaaghir páát	atili	Carissa edulis Canarium	Plateau berry African olive, bush-	A highly prized edible oi

Mwaghavul plant names Ro	oger Blench	Circulation	draft
--------------------------	-------------	-------------	-------

Mwaghavul	Hausa	Latin	English	Notes
		schweinfurthii	candle	is made from the fruits. The seeds are used both to play mancala, and in divination, which has the same name, <b>paat</b> .
pwas kung			tree sp.	
pyeem	kajinjere	Phoenix reclinata	wild date-palm	The leaves are used for mats and hats. The fruit is called <b>dishol</b>
rààm shiko shyeep	malmo	Syzygium guineense	tree sp. and its fruit tree sp. tree sp.	
siisal		Agave sisal	sisal	
sìr		<u> </u>	tree sp.	
sóghór			tree sp.	
táán			tree sp.	
tándúk			tree sp.	also <b>tam tuk</b>
táp sheen			tree sp.	
tawaza ten	maɗaacii	Khaya senegalensis	tree sp. mahogany	
tiìs	muuuucii	Piliostigma reticulatum & P. thonningii	shrub, tree sp.	bark used to bind bundles of firewood etc. Used in the treatment of <i>kurga</i> (H.)
tóghól	cediya	Ficus thonningii	fig tree	usually planted outside the house for elders to sit under
tùl	dóókàà	Isoberlinia doka	tree sp.	
twaas	baure		fig tree sp.	
tyoor	dúrùmíí	Ficus polita	tree sp.	
vureng báng			tree sp.	
vureng tup wúshìì			tree sp.	
wút	gwandan	Annona senegalensis	tree sp. custard-apple tree and	Edible fruit
,, ut	daji	minona seneguiensis	fruit	
wuzmi			tree sp.	
yòghòm nyèè			tree sp.	
zer		Combretum	tree sp.	
		micranthum		

#### References

Arbonnier, Michel 2002. Arbres, arbustes et lianes des zones sèches d'Afrique de l'Ouest. Montpellier: CIRAD.

Burkill, H.M. 1985. *The Useful Plants of West Tropical Africa, Families A-D*, Kew: Royal Botanic Gardens. Burkill, H.M. 1994. *The Useful Plants of West Tropical Africa, Families E-I*, Kew: Royal Botanic Gardens. Burkill, H.M. 1995. *The Useful Plants of West Tropical Africa, Families J-L*, Kew, Royal Botanic Gardens.

Burkill, H.M. 1997. The Useful Plants of West Tropical Africa, Families M-R, Kew: Royal Botanic Gardens.

Burkill, H.M. 2000. The Useful Plants of West Tropical Africa, Families S-Z, Kew: Royal Botanic Gardens.

Burkill, H.M. 2004. The Useful Plants of West Tropical Africa, General Index. Kew: Royal Botanic Gardens.

Okezie Akobundu, I. & C.W. Agyakwa 1998. A handbook of West African weeds. 2<sup>nd</sup> ed. Ibadan: International Institute of Tropical Agriculture.